






- Slim design.
- Easy installation.
- Suitable for retrofitting.
- Gas and watertight ≥ 0,25 bar.
- Other versions available upon request.

Ordering Information

Unit:mm







40mm Microduct Dia.

50mm Microduct Dia.

63mm Microduct Dia.

SKU	Duct Sealing (mm)
FCST-VSE40/10*7	40mm with 10*7mm OD
FCST-VSE40/5*10	40mm with 5*10mm OD
FCST-VSE40/4*12	40mm with 4*12mm OD
FCST-VSE40/3*14	40mm with 3*14mm OD
FCST-VSE40/8*7+1*12	40mm with 8*7+1*12mm OD
FCST-VSE50/18*7	50mm with 18*7mm OD
FCST-VSE50/7*10	50mm with 7*10mm OD
FCST-VSE50/9*10	50mm with 9*10mm OD
FCST-VSE50/7*12	50mm with 7*12mm OD




DIVISIBLE DUCT SEALING-40~63MM(HT)

FCST-VSE50/12*7+1*14	50mm with12*7+1*14mm OD
FCST-VSE63/24*7	63mm with 24*7mm OD
FCST-VSE63/24*7+1*14	63mm with 24*7+1*14mm OD
FCST-VSE63/15*10	63mm with 15*10mm OD
FCST-VSE63/12*12	63mm with 12*12mm OD
FCST-VSE63/7*14	63mm with 7*14mm OD
FCST-VSE63/6*16	63mm with 6*16mm OD

^{*}Note: Other size requirements can be contacted for docking sales.



Fiber Cable Solution Technology Co.,Ltd.



Overseas Agency



www.fcst.com www.micro-duct.com



FCST - Better FTTx, Better Life.

At FCST, we manufacture top-quality microduct connectors, microduct closure, telecom manhole chambers and fiber splice boxes since 2003. Our products boast superior resistance to failure, corrosion, and deposits, and are designed for high performance in extreme temperatures. We prioritize sustainability with mechanical couplers and long-lasting durabili -ty.

FCST aspires to a more connected world, believing everyone deserves access to high-speed broadband. We're dedicat -ed to expanding globally, evolving our products, and tackling modern challenges with innovative solutions. As technology advances and connects billions more devices, FCST helps developing regions leapfrog outdated technologies with sustainable solutions, evolving from a small company to a global leader in future fiber cable needs.

Rm402 block A Watts gallop tower No.2816 YiXian Rd, BaoShan District, Shanghai 200441. Tel:+86-21-38726791 +86-21-38726792 Fax:+86-21-38726793