




- Strong corrosion resistance.
- Good resistance to high and low temperature.
- Easy installation.
- Convenient transportation and cost reduction.
- Long service life(30years).
- Height adjustable.

Product Size

External Size(L*W*H)	Internal Dimensions(L*W*H)	Manhole Cover Load Grade
1300*520*642mm (51.182"x20.473"x25.276")	1180*400*583mm (46.457"x15.749"x22.953")	B125(12.5T)/C250(25T)/D400(40T)
123 124 124 459 643 82 118	10 10 10 10 10 10 10 10 10 10	460 460 520 460 520

Ordering Information





FOSC Fixed Frame Optional



Optional-1 FOSC Fixed Frame



Optional-2 FOSC Fixed Frame



Optional-3 FCST-Cross Cable Rack


1.300*300mm 2.350*350mm 3.400*400mm 4.450*450mm 5.500*500mm --Customizable



Optional-4 Manhole Ladder



Fiber Cable Solution Technology Co.,Ltd.



Overseas Agency



www.fcst.com www.micro-duct.com



FCST - Better FTTx, Better Life.

At FCST, we manufacture top-quality microduct connectors, microduct closure, telecom manhole chambers and fiber splice boxes since 2003. Our products boast superior resistance to failure, corrosion, and deposits, and are designed for high performance in extreme temperatures. We prioritize sustainability with mechanical couplers and long-lasting durabili -ty.

FCST aspires to a more connected world, believing everyone deserves access to high-speed broadband. We're dedicat -ed to expanding globally, evolving our products, and tackling modern challenges with innovative solutions. As technology advances and connects billions more devices, FCST helps developing regions leapfrog outdated technologies with sustainable solutions, evolving from a small company to a global leader in future fiber cable needs.

Rm402 block A Watts gallop tower No.2816 YiXian Rd, BaoShan District, Shanghai 200441. Tel:+86-21-38726791 +86-21-38726792 Fax:+86-21-38726793